

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.01.2012

Version number 62

Revision: 26.01.2012

## 1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**

- **Trade name:** Certanium 706 3.2mm 22775

- **Article number:** 22775

- **Relevant identified uses of the substance or mixture and uses advised against**

- **Application of the substance / the preparation** Metal-working product

- **Details of the supplier of the safety data sheet**

- **Manufacturer/Supplier:**

KENT

Pitreavie Crescent

Pitreavie Business Park

Dunfermline

Fife

KY11 8UQ

Tel: 01383 737393

Fax: 01383 620079

Monday - Thursday 8.30am - 5.30pm, Friday 9.00am - 3.00pm

julie.fullerton@kenteurope.com

- **Emergency telephone number:**

Tel: 01383 737393 During normal office hours - Monday - Thursday 8.30am - 5.30pm, Friday 9.00am - 3.00pm

## 2 Hazards identification

- **Classification of the substance or mixture**

- **Classification according to Regulation (EC) No 1272/2008**



GHS08 health hazard

Carc. 2 H351 Suspected of causing cancer.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**



Xn; Harmful

R40-48/20: Limited evidence of a carcinogenic effect. Harmful: danger of serious damage to health by prolonged exposure through inhalation.



Xi; Sensitising

R43: May cause sensitisation by skin contact.

- **Classification system:**

The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.

- **Label elements**

- **Labelling according to EU guidelines:**

The product has been classified and labelled in accordance with EC Directives / Ordinance on Hazardous Materials (GefStoffV)

- **Code letter and hazard designation of product:**



Xn Harmful

(Contd. on page 2)

GB

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 26.01.2012

Version number 62

Revision: 26.01.2012

**Trade name: Certanium 706 3.2mm 22775**

(Contd. of page 1)

- **Hazard-determining components of labelling:**

nickel

- **Risk phrases:**

40 Limited evidence of a carcinogenic effect.

43 May cause sensitisation by skin contact.

48/20 Harmful: danger of serious damage to health by prolonged exposure through inhalation.

- **Safety phrases:**

36/37 Wear suitable protective clothing and gloves.

45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

60 This material and its container must be disposed of as hazardous waste.

- **Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**

- **Description:** Mixture of the substances listed below with harmless additions.

- **Dangerous components:**

CAS: 7440-47-3 EINECS: 231-157-5	chromium substance with a Community workplace exposure limit	10-25%
CAS: 7440-02-0 EINECS: 231-111-4	nickel T R48/23; Xn R40; Xi R43 Carc. Cat. 3 Carc. 2, H351; STOT RE 1, H372; Skin Sens. 1, H317	1-11%
CAS: 13463-67-7 EINECS: 236-675-5	titanium dioxide substance with a Community workplace exposure limit	1-11%
CAS: 7439-96-5 EINECS: 231-105-1	manganese Xn R48	1-11%
CAS: 1344-09-8 EINECS: 215-687-4	Silicic acid, sodium salt Xi R36/38 Skin Irrit. 2, H315; Eye Irrit. 2, H319	1-11%
CAS: 1308-38-9 EINECS: 215-160-9	dichromium trioxide substance with a Community workplace exposure limit	1-11%
CAS: 7440-21-3 EINECS: 231-130-8	silicon, containing more than 99.99 per cent by weight of silicon F R11 Flam. Sol. 2, H228	1-11%

### 4 First aid measures

- **Description of first aid measures**

- **General information**

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Instantly remove any clothing soiled by the product.

- **After inhalation** Supply fresh air or oxygen; call for doctor.

- **After skin contact**

Instantly wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

- **After eye contact** Rinse opened eye for several minutes under running water. Then consult doctor.

- **After swallowing**

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

- **Information for doctor**

- **Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Contd. on page 3)

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.01.2012

Version number 62

Revision: 26.01.2012

**Trade name: Certanium 706 3.2mm 22775**

(Contd. of page 2)

- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## 5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents**  
CO<sub>2</sub>, extinguishing powder or water haze. Fight larger fires with water haze or alcohol-resistant foam.
- **Special hazards arising from the substance or mixture**  
Formation of toxic gases is possible during heating or in case of fire.  
Carbon monoxide and carbon dioxide
- **Advice for firefighters**
- **Protective equipment:**  
Wear self-contained breathing apparatus.  
Wear full protective suit.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Avoid causing dust.  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**  
Prevent material from reaching sewage system, holes and cellars.  
Inform respective authorities in case product reaches water or sewage system.
- **Methods and material for containment and cleaning up:**  
Collect mechanically.  
Send for recovery or disposal in suitable containers.  
Dispose of contaminated material as waste according to item 13.
- **Reference to other sections**  
See Section 8 for information on personal protection equipment.

## 7 Handling and storage

- **Handling**
- **Precautions for safe handling**  
Prevent formation of dust.  
Ensure good ventilation/exhaustion at the workplace.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** Store in cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Store in cool, dry conditions in well sealed containers.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

<b>7440-47-3 chromium</b>	
WEL	Long-term value: 0.5 mg/m <sup>3</sup>
<b>7440-02-0 nickel</b>	
WEL	Long-term value: 0.5 mg/m <sup>3</sup> as Ni

(Contd. on page 4)

GB

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 26.01.2012

Version number 62

Revision: 26.01.2012

**Trade name: Certanium 706 3.2mm 22775**

(Contd. of page 3)

**13463-67-7 titanium dioxide**
 WEL Long-term value: 10\* 4\*\* mg/m<sup>3</sup>  
 \*total inhalable \*\*respirable
**1308-38-9 dichromium trioxide**
 WEL Long-term value: 0.5 mg/m<sup>3</sup>  
 as Cr
**7440-21-3 silicon, containing more than 99.99 per cent by weight of silicon**
 WEL Long-term value: 10\* 4\*\* mg/m<sup>3</sup>  
 \*inhalable dust \*\*respirable dust

- **Additional information:**

Overexposure to welding fumes may result in dizziness, nausea or dryness or irritation of nose, throat and eyes. Chronic excess welding fumes above OES or OEL may be hazardous. Prolonged and repeated inhalation may be harmful to respiratory system. The lists that were valid during the compilation were used as basis.

- **Exposure controls**

- **Personal protective equipment**

- **General protective and hygienic measures**

Keep away from foodstuffs, beverages and food.

Take off immediately all contaminated clothing

Wash hands during breaks and at the end of the work.

- **Breathing equipment:** Not required.

- **Protection of hands:**

Welders protective gloves

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**

Welders face shield and coloured absorbing lenses

Safety glasses

- **Body protection:** Heat-resistant protective clothing

## 9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

**Form:** Solid.

**Colour:** According to product specification

· **Odour:** Odourless

- **Change in condition**

**Melting point/Melting range:** 1000-1500°C

**Boiling point/Boiling range:** Not determined

· **Flash point:** Not applicable

· **Self-inflammability:** Product is not selfigniting.

· **Danger of explosion:** Product is not explosive.

· **Density** Not determined

- **Solubility in / Miscibility with**

**Water:** Insoluble

(Contd. on page 5)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 26.01.2012

Version number 62

Revision: 26.01.2012

**Trade name: Certanium 706 3.2mm 22775**

(Contd. of page 4)

· **Other information** No further relevant information available.

### 10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** Acid
- **Hazardous decomposition products:**  
Formation of toxic gases is possible during heating or in case of fire.  
Carbon monoxide and carbon dioxide

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

#### 13463-67-7 titanium dioxide

Oral	LD50	>20000 mg/kg (rat)
Dermal	LD50	>10000 mg/kg (rabbit)
Inhalative	LC50(4 h)	>6.82 mg/l (rat)

#### 1308-38-9 dichromium trioxide

Oral	LD50	10000 mg/kg (rat)
------	------	-------------------

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritant effect.
- **Sensitization:** Sensitization possible by skin contact.
- **Additional toxicological information:**  
The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:  
Toxic

### 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Generally not hazardous for water.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 6)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 26.01.2012

Version number 62

Revision: 26.01.2012

**Trade name: Certanium 706 3.2mm 22775**

(Contd. of page 5)

- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

- |  |                 |
|--|-----------------|
| · <b>UN-Number</b>   |                 |
| · <b>ADR, ADN, IMDG, IATA</b>  | Void            |
| · <b>UN proper shipping name</b>   |                 |
| · <b>ADR, ADN, IMDG, IATA</b>  | Void            |
| · <b>Transport hazard class(es)</b>  |                 |
| · <b>ADR, ADN, IMDG, IATA</b>  |                 |
| · <b>Class</b>   | Void            |
| · <b>Packing group</b>   |                 |
| · <b>ADR, IMDG, IATA</b>   | Void            |
| · <b>Environmental hazards:</b>  |                 |
| · <b>Marine pollutant:</b>   | No              |
| · <b>Special precautions for user</b>  | Not applicable. |
| · <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | Not applicable. |
| · <b>UN "Model Regulation":</b>  | -               |

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **National regulations**
- **Water hazard class:** Generally not hazardous for water.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
  - H228 Flammable solid.
  - H315 Causes skin irritation.
  - H317 May cause an allergic skin reaction.
  - H319 Causes serious eye irritation.
  - H351 Suspected of causing cancer.
  - H372 Causes damage to organs through prolonged or repeated exposure.
  - R11 Highly flammable.
  - R36/38 Irritating to eyes and skin.
  - R40 Limited evidence of a carcinogenic effect.
  - R43 May cause sensitisation by skin contact.
  - R48 Danger of serious damage to health by prolonged exposure.
  - R48/23 Toxic: danger of serious damage to health by prolonged exposure through inhalation.
- **Department issuing data specification sheet:** Environment protection department.
- **Abbreviations and acronyms:**
  - ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
  - RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
  - GHS: Globally Harmonized System of Classification and Labelling of Chemicals
  - LC50: Lethal concentration, 50 percent
  - LD50: Lethal dose, 50 percent
- **Data compared to the previous version altered.** \*