

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.01.2012

Version number 6

Revision: 26.01.2012

1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**

- **Trade name:** NEW UREFIX NCUII 83670

- **Article number:** 83670

- **Relevant identified uses of the substance or mixture and uses advised against**

- **Application of the substance / the preparation**

Sealant
Adhesives

- **Details of the supplier of the safety data sheet**

- **Manufacturer/Supplier:**

KENT
Pitreavie Crescent
Pitreavie Business Park
Dunfermline
Fife
KY11 8UQ
Tel: 01383 737393
Fax: 01383 620079
Monday - Thursday 8.30am - 5.30pm, Friday 9.00am - 3.00pm

julie.fullerton@kenteurope.com

- **Emergency telephone number:**

Tel: 01383 737393 During normal office hours - Monday - Thursday 8.30am - 5.30pm, Friday 9.00am - 3.00pm

2 Hazards identification

- **Classification of the substance or mixture**

- **Classification according to Regulation (EC) No 1272/2008**



GHS08 health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**



Xn; Sensitising

R42: May cause sensitisation by inhalation.

- **Classification system:**

The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.

- **Label elements**

- **Labelling according to EU guidelines:**

The product has been classified and labelled in accordance with EC Directives / Ordinance on Hazardous Materials (GefStoffV)

- **Code letter and hazard designation of product:**



Xn Harmful

- **Hazard-determining components of labelling:**

diphenylmethane-4-4'-di-isocyanate

- **Risk phrases:**

42 May cause sensitisation by inhalation.

- **Safety phrases:**

3 Keep in a cool place.

24/25 Avoid contact with skin and eyes.

26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

28 After contact with skin, wash immediately with plenty of soap and water.

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.01.2012

Version number 6

Revision: 26.01.2012

Trade name: NEW UREFIX NCUII 83670

51 Use only in well-ventilated areas.

(Contd. of page 1)

- **Special labelling of certain preparations:**
Contains isocyanates. See information supplied by the manufacturer
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**

- **Description:** Mixture of the substances listed below with harmless additions.

- **Dangerous components:**

CAS: 1330-20-7 EINECS: 215-535-7	xylene, mixed isomers, pure Xn R20/21; Xi R38 R10 Flam. Liq. 3, H226; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315	1-5%
CAS: 101-68-8 EINECS: 202-966-0	diphenylmethane-4,4'-di-isocyanate Xn R20-40-48/20; Xn R42/43; Xi R36/37/38 Carc. Cat. 3 Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	<0.5%

4 First aid measures

- **Description of first aid measures**

- **After inhalation** Supply fresh air or oxygen; call for doctor.
- **After skin contact** Instantly wash with water and soap and rinse thoroughly.
- **After eye contact** Rinse opened eye for several minutes under running water. Then consult doctor.
- **After swallowing** Instantly call for doctor.
- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Firefighting measures

- **Extinguishing media**

- **Suitable extinguishing agents**

Carbon dioxide
Water haze
Fire-extinguishing powder

- **Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.
Nitrogen oxides (NOx)
Carbon monoxide (CO)

- **Advice for firefighters**

- **Protective equipment:**

Do not inhale explosion gases or combustion gases.
Wear self-contained breathing apparatus.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Ensure adequate ventilation

- **Environmental precautions:**

Inform respective authorities in case product reaches water or sewage system.
Do not allow to enter drainage system, surface or ground water.

(Contd. on page 3)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.01.2012

Version number 6

Revision: 26.01.2012

Trade name: NEW UREFIX NCUII 83670

(Contd. of page 2)

- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Allow material to evaporate.
Dispose of contaminated material as waste according to item 13.
- **Reference to other sections**
See Section 8 for information on personal protection equipment.

7 Handling and storage

- **Handling**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Keep containers tightly sealed.
Keep away from heat and direct sunlight.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** Store in cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Protect from heat and direct sunlight.
Protect from frost.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

Control parameters

- **Components with limit values that require monitoring at the workplace:**

1330-20-7 xylene, mixed isomers, pure

WEL Short-term value: 441 mg/m³, 100 ppm
Long-term value: 220 mg/m³, 50 ppm
Sk; BMGV

101-68-8 diphenylmethane-4-4'-di-isocyanate

WEL Short-term value: 0.07 mg/m³
Long-term value: 0.02 mg/m³
Sen; as -NCO

- **Additional information:** The lists that were valid during the compilation were used as basis.
- **Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures**
Keep away from foodstuffs, beverages and food.
Wash hands during breaks and at the end of the work.
- **Breathing equipment:**
In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.
- **Protection of hands:**
Protective gloves.
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Safety glasses

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.01.2012

Version number 6

Revision: 26.01.2012

Trade name: NEW UREFIX NCUII 83670

(Contd. of page 3)

· **Body protection:** Protective work clothing.

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Pasty
Colour: Black
Odour: Characteristic

· Change in condition

Melting point/Melting range: Not determined
Boiling point/Boiling range: Not determined

· **Flash point:** Not applicable

· **Ignition temperature:** >250°C

· **Danger of explosion:** Product is not explosive.

· **Density at 20°C** 1.12 g/cm³

· Solubility in / Miscibility with

Water: Insoluble

· Solvent content:

Organic solvents: 24g/l VOC

· **Other information** No further relevant information available.

10 Stability and reactivity

· Reactivity

· Chemical stability

· **Thermal decomposition / conditions to be avoided:** To avoid thermal decomposition do not overheat.

· **Possibility of hazardous reactions** No dangerous reactions known

· **Conditions to avoid** No further relevant information available.

· **Incompatible materials:** No further relevant information available.

· Hazardous decomposition products:

Formation of toxic gases is possible during heating or in case of fire.
 Carbon dioxide
 Nitrogen oxides (NO_x)

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

1330-20-7 xylene, mixed isomers, pure

Oral	LD50	8700 mg/kg (rat)
Dermal	LD50	2000 mg/kg (rabbit)
Inhalative	LC50(4 h)	6350 mg/l (rat)

101-68-8 diphenylmethane-4-4'-di-isocyanate

Oral	LD50	>5000 mg/kg (rat)
Dermal	LD50	>5000 mg/kg (rabbit)
Inhalative	LC50(4 h)	0.49 mg/l (rat)

· Primary irritant effect:

· **on the skin:** No irritant effect.

· **on the eye:** Irritant effect.

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.01.2012

Version number 6

Revision: 26.01.2012

Trade name: NEW UREFIX NCUII 83670

(Contd. of page 4)

- **Sensitization:**

Sensitization possible by inhalation.

Sensitizing effect by skin contact is possible by prolonged exposure.

- **Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:

Harmful

12 Ecological information

- **Toxicity**

- **Aquatic toxicity:**

1330-20-7 xylene, mixed isomers, pure

CE50 (fish) 10 mg/l (fish) (72h)

EC50(48h) 7.4 mg/l (daphnia magna)

LC50 (96h) 3.77-13.5 mg/l (fish)

- **Persistence and degradability** No further relevant information available.

- **Behaviour in environmental systems:**

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

- **Additional ecological information:**

- **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**

- **Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

After prior treatment product has to be disposed of in an incinerator for hazardous waste under adherence to the regulations pertaining to the disposal of particularly hazardous waste.

- **Uncleaned packagings:**

- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- **UN-Number**

- **ADR, ADN, IMDG, IATA** Void

- **UN proper shipping name**

- **ADR, ADN, IMDG, IATA** Void

- **Transport hazard class(es)**

- **ADR, ADN, IMDG, IATA**

- **Class** Void

- **Packing group**

- **ADR, IMDG, IATA** Void

- **Environmental hazards:**

- **Marine pollutant:** No

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.01.2012

Version number 6

Revision: 26.01.2012

Trade name: NEW UREFIX NCUII 83670

(Contd. of page 5)

· **Special precautions for user** Not applicable.

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

· **UN "Model Regulation":** -

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **National regulations**

· **Technical instructions (air):**

Class	Share in %
I	0.5
II	5.0

· **Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H226 Flammable liquid and vapour.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

R10 Flammable.

R20 Harmful by inhalation.

R20/21 Harmful by inhalation and in contact with skin.

R36/37/38 Irritating to eyes, respiratory system and skin.

R38 Irritating to skin.

R40 Limited evidence of a carcinogenic effect.

R42/43 May cause sensitisation by inhalation and skin contact.

R48/20 Harmful: danger of serious damage to health by prolonged exposure through inhalation.

· **Department issuing data specification sheet:** Environment protection department

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

· **Data compared to the previous version altered.** *